SPB-A Series

INSTRUCTION MANUAL

TCD230001AC

Autonics

Thank you for choosing our Autonics product.

Read and understand the instruction manual and manual thoroughly before using the product.

For your safety, read and follow the below safety considerations before using. For your safety, read and follow the considerations written in the instruction manual, other manuals and Autonics website

Keep this instruction manual in a place where you can find easily.

The specifications, dimensions, etc. are subject to change without notice for product improvement. Some models may be discontinued without notice.

Follow Autonics website for the latest information.

Safety Considerations

- Observe all 'Safety Considerations' for safe and proper operation to avoid hazards.
- A symbol indicates caution due to special circumstances in which hazards may occur.

↑ Warning Failure to follow instructions may result in serious injury or death.

- 01. Fail-safe device must be installed when using the unit with machinery that may cause serious injury or substantial economic loss. (e.g. nuclear power control, medical equipment, ships, vehicles, railways, aircraft, combustion apparatus, equipment, crime / disaster prevention devices, etc.) nay result in personal injury, economic loss or fire
- 02. Do not use the unit in the place where flammable / explosive / corrosive gas, high humidity, direct sunlight, radiant heat, vibration, impact, or salinity may be present.
- 03. Connect the ground completely to the PE terminal.
- ure to follow this instruction may result in electric shock or malfunction.
- 04. Do not connect, repair, or inspect the unit while connected to a power source. re to follow this instruction may result in fire or electric shock.
- 05. Check 'Wiring Diagram' before wiring.
- ure to follow this instruction may result in fire, electric shock or product damage.
- 06. Do not disassemble or modify the unit.

Failure to follow this instruction may result in fire, electric shock or product damage.

⚠ Caution Failure to follow instructions may result in injury or product damage.

- 01. When connecting the terminal, tighten the terminal screw with a tightening torque of 0.3 $\,$ illure to follow this instruction may result in fire or malfunction due to contact failure
- 02. Use the unit within the rated specifications. ire to follow this instruction may result in fire, product damage or shortening the life cycle of
- 03. Use the device within the output derating curve by ambient temperature.
- 04. Use dry cloth to clean the unit, and do not use water or organic solvent.
- 05. Keep the product away from metal chip, dust, and wire residue which flow into the unit.
- 06. Do not touch the product during operation or for a certain period of time after stopping.
- 07. Upon occurrence of an error, disconnect the power source.
- ${\bf 08. \ Insert\ the\ twisted\ pair\ cable\ completely\ into\ the\ terminal\ block.}$
- 09. Do not use the inverter output as a voltage input.
- re to follow this instruction may result in fire due to rapid switching. 10. Do not use the device in conditions where inrush current or overload occurs frequently.
- If short circuit or overcurrent condition is continued, it may result in fire or product damage. 11. Use an external diode when using it to operate a motor, etc.
- If the voltage output exceeds the rated output voltage range, it may result in malfunction or
- 12. Use an external diode for serial/parallel operation.
- Failure to follow this instruction may result in fire or product damage due to due to the reverse age generated inside the SMPS when the load is short-circui
- 13. In case of serial/parallel operation, make sure that the current over the rated current

Failure to follow this instruction may result in product damage.

Cautions during Use

- Follow instructions in 'Cautions during Use'. Otherwise, it may cause unexpected accidents. In the case of models with power of 120 / 240 / 480 W, noise may occur when power is input
- When connecting the output terminal, cable length should be less than 30 m.
- If large current flows, use multiple terminal blocks.
- Do not use more than two output voltages in parallel and series connection. • Install the device in a well-ventilated area. Install a cooling fan additionally in a poorly

- There is a noise filter inside the device, but in an environment where a lot of noise occurs, install an additional noise filter outside
- Install the device perpendicular to the ground.
- It may cause deterioration or damage to internal parts, and may affect specifications.
- If the device used at frequent inrush currents or overloads at the load end environments, internal parts may deteriorate or be damaged.
- Short-circuit or over-current conditions must not continue during operation. Internal parts may deteriorate or break · Do not turn the output voltage adjustment adjuster (V.Adjust) with excessive force. It may result
- Do not use near the equipment which generates strong magnetic force or high frequency noise.
- This unit may be used in the following environments.
 Indoors (in the environment condition rated in 'Specifications')
- Altitude max. 2.000m
- Pollution degree 2 - Installation category II

Ordering Information

This is only for reference, the actual product does not support all combinations. For selecting the specified model, follow the Autonics website.

SPB - A **0** - **2**

Number: Power (unit: W)

② Output voltage

Number: Output voltage (unit: VDC==)

Product Components


- Product \times 1
- Instruction manual \times 1

Sold Separately

• Bracket: BK-SPB-F01 (SPB-A015 / 030 / 060-□) BK-SPB-F02 (SPB-A120 / 240 / 480- (


Dimensions

• Unit: mm, For the detailed drawings, follow the Autonics website.




■ SPB-A030 / 060-□

• This is based on SPB-A060 model.




■ SPB-A120 / 240-□

This is based on SPR-A120 model.



■ SPB-A480-□



Unit Descriptions

SP9-A060-12 POWER SUPPLY Extrader 999

1. Output indicator (DC OK, green)

: Turns ON during normal operation after power input. Flashes when overcurrent protection function operates.

2. Output low voltage indicator (DC Low, red)

: Turns ON when output voltage is lower than reference value. Output voltage [VDC==] 5 12 24 48

 Output low voltage indicate [VDC=]
 4.2
 9.6
 20.0
 43.0

 (± 10 %)
 (± 10 %)
 (± 10 %)
 (± 10 %)
 (± 10 %)

3. Output voltage adjuster (V.Adjust)

: Adjust this volume within voltage variable range. It is not guaranteed when using outside the variable range.

Connection



Mark	Function
+	Output power (+)
-	Output power (-)
+L, N-	Input power
(a)	Protective Earth (PE)

Model	wire specific	ation	Terminal	Torque	
Model	Output	utput Input PE			
SPB-A015-05 01)	AWG 20 to 12	AWG 24 to 12			
SPB-A015-12 01)	AWG 22 to 12			M2.5	
SPB-A015-24 01)	AWG 24 to 12				
SPB-A030-05	AWG 18 to 12		AWG 14 to 12		
SPB-A030-12	AWG 20 to 12	AWG 24 to 12	AVVG 14 tO 12		
SPB-A030-24	AWG 22 to 12			M2.5	
SPB-A060-12	AWG 18 to 12	AWG 22 to 12			0.3 to 0.5 N m
SPB-A060-24	AWG 20 to 12	AVVG 22 tO 12			
SPB-A120-12	AWG 14 to 10	AWG 22 to 10			
SPB-A120-24	AWG 18 to 10	AVVG 22 to 10			
SPB-A240-12	AWG 12 to 10				
SPB-A240-24	AWG 14 to 10	0 AWG 20 to 10	AWG 14 to 10	M3	
SPB-A240-48	AWG 18 to 10				
SPB-A480-24	AWG 12 to 10	AWG 16 to 10			
SPB-A480-48	AWG 14 to 10	AVVG 16 (0 10			
a) =1					

The rated current is 10 A per output terminal. If the rated current is exceeded, use multiple terminals at the

Mounting

- It can be mounted on a 35 mm DIN rail conforming to EN 60715 standards.
- Depending on the installation environment, screw installation is available using the bracket (sold separately)


· Unit: mm


■ Mounting with DIN Rail

Put the product on DIN rail and press it to Push the latch to the direction ① with a the direction ①.

■ Removing with DIN Rail

tool and pull the bottom of the device in the direction ②. Left it in direction ③.






Cautions during Installation



Mount space

 When installing adjacently to multiple SMPS or heating devices, keep space between power controllers for heat radiation. Horizontal: ≥ 20 mm Vertical: ≥ 40 mm



Specifications	
Indicator	Output indicator (green), output low voltage indicator (red)
Over-current protection	≥ 121 %
Over-voltage protection 01)	≈ 130 %
Output short-circuit protection	Built-in
Overheat protection	Built-in
Parallel operation 02)	Available
Insulation resistance	Among all input terminals, all output terminals and PE : \geq 100 M Ω (500 VDC== megger)
Dielectric strength	Among all input terminals and all output terminals: 3 kVAC~, Cutoff current = 20 mA Among all input terminals and PE: 2 kVAC~, Cutoff current = 20 mA Among all output terminals and PE: 1 kVAC~, Cutoff current = 20 mA
Vibration 03)	10 to 55 Hz, 0.75 mm double amplitude, in each X, Y, Z direction for 2 hours
Shock	150 m/s² (≈ 15 G) in each X, Y, Z direction for 3 times
EMS	Conforms to EN61000-6-2
EMI	Conforms to EN61000-6-4
Ambient temperature 04)	-20 to 70 °C, storage: -25 to 80 °C (no freezing or condensation)
Ambient humidity	20 to 90 %RH, storage: 20 to 90 %RH (no freezing or condensation)
Protection structure	IP20 (IEC standard)
Certification ⁰⁵⁾	CE CH (P) unana

- 01) To reset the overvoltage protection, shut off input power for at least 5 minutes and then restart. 02) For more information, refer the product manuals
- 03) Applies when the device is installed vertically to the ground. For non-vertical installation, secure the product to
- withstand vibration and shock.
- 04) UL approved ambient temperature 40 °C, refer to the 'Derating Curve'.
- 05) It is for 100 240 VAC∼ / VDC== power input only

Model		SPB-A015 -05	SPB-A015 -12	SPB-A015 -24	SPB-A030 -05	SPB-A030 -12	SPB-A030 -24	
Input								
Voltage ⁰¹⁾		100 - 240 VA	C~/90-350	VDC== (allowa	able voltage: 8	5 - 264 VAC~)		
Current ⁰²⁾	115 VAC∼	0.32 A	0.29 A	0.31 A	0.54 A	0.57 A	0.58 A	
(Typical)	230 VAC~	0.21 A	0.19 A	0.2 A	0.33 A	0.36 A	0.36 A	
Frequency		50 / 60 Hz (a	llowable freq	uency: 47 - 63	Hz)			
Efficiency (2)	115 VAC~	0.72	0.78	0.75	0.73	0.82	0.82	
(Typical)	230 VAC~	0.70	0.74	0.75	0.71	0.81	0.82	
Power factor (02)	115 VAC~	0.56	0.56	0.57	0.5	0.51	0.53	
(Typical)	230 VAC~	0.44	0.47	0.45	0.44	0.41	0.43	
Power factor corre (PFC)	ction circuit	Not availabl	e					
Inrush current 03)	115 VAC~	16 A						
(Typical)	230 VAC~	32 A						
Leakage current	kage current 115 VAC~		0.21 mA 0.16 mA					
(Typical)	230 VAC~	0.28 mA			0.25 mA			
Output								
Voltage		5 VDC==	12 VDC==	24 VDC==	5 VDC==	12 VDC==	24 VDC==	
Current		3 A	1.2 A	0.65 A	5 A	2.5 A	1.3 A	
Power		15 W	14.4 W	15.6 W	25 W	30 W	31.2 W	
Power boost 04)		120 % of rated current						
Voltage adjustmen	it range	-10 to 15 % (with V.Adjust)						
Ripple 02) 05)		260 mV _{P-P}	150 mV _{P-P}	170 mV _{P-P}	120 mV _{P-P}	120 mV _{P-P}	150 mV _{P-P}	
Input variation 06)		≤ 0.5 %						
Load variation ⁰⁷⁾		≤ 3.0 %	≤ 2.0 %	≤ 1.5 %	≤ 3.0 %	≤ 2.0 %	≤ 1.5 %	
Temperature varia	tion	≤ 0.05 %/°	С					
Start-up time (02)	115 VAC∼	720 ms	810 ms	820 ms	580 ms	650 ms	850 ms	
(Typical)	230 VAC~	330 ms	400 ms	650 ms	670 ms	510 ms	710 ms	
Hold time ⁰²⁾	115 VAC~	32 ms	33 ms	43 ms	33 ms	29 ms	28 ms	
(Typical)	230 VAC~	136 ms	146 ms	140 ms	149 ms	131 ms	129 ms	
			1		1	1		

Model		SPB-A060-12	SPB-A060-24	SPB-A120-12	SPB-A120-24		
Input							
Voltage ⁰¹⁾		100 - 240 VAC~/	90 - 350 VDC== (allow	able voltage: 85 - 26	4 VAC~)		
Current 02)	115 VAC~	1.05 A	1.1 A	1.3 A	1.3 A		
(Typical)	230 VAC~	0.6 A	0.7 A	0.7 A	0.7 A		
Frequency		50 / 60 Hz (allowa	ble frequency: 47 - 63	B Hz)			
Efficiency (12)	115 VAC~	0.81	0.85	0.82	0.86		
(Typical)	230 VAC~	0.82	0.87	0.84	0.89		
Power factor ⁰²⁾	115 VAC~	0.54	0.54	0.99	0.99		
(Typical)	230 VAC~	0.46	0.46	0.92	0.91		
Power factor corre (PFC)	ction circuit	Not available	•	Available			
Inrush current 03)	115 VAC~	16 A					
(Typical)	230 VAC~	32 A					
Leakage current	115 VAC~	0.16 mA		0.3 mA			
(Typical)	230 VAC~	0.3 mA		0.38 mA			
Output							
Voltage		12 VDC==	24 VDC==	12 VDC==	24 VDC==		
Current		4.5 A	2.5 A	10 A	5 A		
Power		54 W	60 W	120 W			
Power boost 04)		120 % of rated current					
Voltage adjustmer	nt range	-10 to 15 % (with V.Adjust)					
Ripple 02) 05)		460 mV _{P-P}	110 mV _{P-P}	470 mV _{P-P}	310 mV _{P-P}		
Input variation 06)		≤ 0.5 %					
Load variation 07)		≤ 2.0 %	≤ 1.5 %	≤ 2.0 %	≤ 1.5 %		
Temperature varia	tion	≤ 0.05 %/°C					
Start-up time 02)	115 VAC~	635 ms	830 ms	740 ms	990 ms		
(Typical)	230 VAC~	655 ms	770 ms	710 ms	930 ms		
Hold time ⁰²⁾	115 VAC~	23 ms	22 ms	32 ms	34 ms		
(Typical)	230 VAC~	106 ms	103 ms	31 ms	32 ms		
Output low voltage	e indicate	9.6 V (± 10 %)	20.0 V (± 10 %)	9.6 V (± 10 %)	20.0 V (± 10 %		
Unit weight (Package)		≈ 230 g (≈ 325 g	:)	≈ 565 g (≈ 725 g)		

Output low voltage indicate $\begin{array}{c|ccccc} 4.2 \ V & 9.6 \ V & 20.0 \ V & 4.2 \ V & 9.6 \ V & (\pm \ 10 \ \%) & (\pm$

1odel		SPB-A240-12	SPB-A240-24	SPB-A240-48	SPB-A480-24	SPB-A480-4	
nput							
'oltage ⁰¹⁾		100 - 240 VAC~	/ 90 - 350 VDC=	(allowable volta	age: 85 - 264 VAC	~)	
iurrent ⁰²⁾	115 VAC∼	2.5 A			4.8 A		
Typical)	230 VAC~	1.3 A			2.4 A		
requency		50 / 60 Hz (allo	wable frequency	: 47 - 63 Hz)			
fficiency ⁰²⁾	115 VAC∼	0.86	0.89	0.90	0.88	0.89	
Typical)	230 VAC~	0.89	0.92	0.93	0.91	0.92	
ower factor (2)	115 VAC∼	0.99		,	0.99		
Гурісаl)	230 VAC~	0.9			0.97		
ower factor correct PFC)	tion circuit	Available			'		
nrush current 03)	115 VAC∼	16 A			40 A		
Гурісаl)	230 VAC~	32 A		55 A			
eakage current	115 VAC∼	0.14 mA			0.13 mA		
Typical) 230 VAC~		0.25 mA			0.24 mA		
utput		•					
'oltage		12 VDC==	24 VDC==	48 VDC==	24 VDC==	48 VDC==	
iurrent		20 A	10 A	5 A	20 A	10 A	
ower		240 W 480 W					
ower boost 04)		120 % of rated current					
oltage adjustmen	t range	-10 to 15 % (with V.Adjust)					
ipple 02) 05)		430 mV _{P-P}	300 mV _{P-P}	360 mV _{P-P}	270 mV _{P-P}	320 mV _{P-P}	
nput variation 06)		≤ 0.5 %					
oad variation ⁰⁷⁾		≤ 2.0 % ≤ 1.5 %			≤ 1.5 %		
emperature variat	ion	≤ 0.05 %/°C					
tart-up time 02)	115 VAC∼	290 ms	310 ms	390 ms	430 ms	290 ms	
Typical)	230 VAC~	250 ms	250 ms	290 ms	300 ms	260 ms	
lold time ⁰²⁾	115 VAC∼	36 ms	40 ms	36 ms	31 ms	22 ms	
Typical)	230 VAC~	39 ms	38 ms	36 ms	30 ms	21 ms	
Output low voltage indicate		9.6 V (± 10 %)	20.0 V (± 10 %)	43.0 V (± 10 %)	20.0 V (± 10 %)	43.0 V (± 10 %)	
output low voltage							

Model Fuse specification


	SPB-A015 / 030-	≥ 350 VDC=, 4 A
	SPB-A060 / 120-	≥ 350 VDC=, 6 A
Ī	SPB-A240 / 480-	≥ 350 VDC=, 12 A


- 02) Based on 100 % load
- 03) When cold start operation at 25 °C
- 04) For more information, refer the product manuals 05) Based on 20 MHz (Typ).
- Data measured by connecting capacitors of 22 μ F (Aluminum electrolytic capacitor) and 0.1 μ F (Film capacitor) to 150 mm from the output terminal. Ripple specifications change when operating in Burst
- 06) Based on 85 264 VAC ~ input, 100 % load
- 07) Based on 0 to 100 % load

Derating Curve

- Based on AC voltage input.
- The product may be damaged if used at a higher load factor than the rated load factor by the ambient temperature and the AC input voltage.

■ Derating curve by ambient temperature





• In case of DC voltage input, The load factor is calculated by multiplying the load factor by the following coefficient when AC voltage is input.


temperature [°C]

.,	0		0	- P
Model	Coefficient	Example (70°C)		Model
SPB-A015-□	1.0	50 % × 1.0		SPB-A1
SPB-A030	0.9	50 % × 0.9		SPB-A1
SPB-A060-	0.5	30 70 71 0.5		SPB-A4
SPB-A240-□	0.8	$50 \% \times 0.8$		


Coefficient (70°C) **120-12** 0.9 $35\% \times 0.9$

SPB-A480-□

■ Derating curve by input voltage • SPB-A015 / 030 / 060 / 120 / 240-



85 90 AC input voltage [V] When the input voltage is 90 VAC∼ or less.



18, Bansong-ro 513Beon-gil, Haeundae-gu, Busan, Republic of Korea, 48002 www.autonics.com | +82-2-2048-1577 | sales@autonics.com